





LED MINI BURIED / INGROUND LUMINARIES
IP67 / IP68 SELECTION GUARD

2020 New

WWW.Modernlite-light.com

LED Mini buried lamp

Product Code: BL-1W

Power: 1W

Luminous flux: 87Lm

CRI : >80Ra

LED Brand: Epistar Chip LED

Input voltage: DC12V

Beam angle is optional: 120°

Color temperature options: warm white (2800-3000K), neutral white (4000-4300K)


cool white (6000-6500K)

Other light color options: red, green, blue

Ingress Protection : IP67

Light body material: surface ring (stainless steel), the main (6063 aluminum)

Service life: 35000 hours



Unit: mm

Mini condensing ground lamp

Product Code: CGL-1W

Power: 1W

Luminous flux: 95Lm

CRI : >80Ra

LED Brand: CREE-XBD

Input voltage: DC12V-24V

Beam angle is optional: 15°

Color temperature options: warm white (2800-3000K), neutral white (4000-4300K)


cool white (6000-6500K)

Other light color options: red, green, blue

Ingress Protection : IP67

Light body material: surface ring (stainless steel), the main (6063 aluminum)

Service life: 35000 hours



Unit: mm

LED whirlwind buried lights

Product Code: WBL-3W

Power: 3W

Luminous flux: 235Lm

Rendering Index > 80Ra

LED Brand: CREE-XBD LED

Input voltage: DC12V-24V

Two colors are available: silver, black, Routine is silver

Three kinds of light-emitting port optional: X3 X4 X5


Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool white (6000-6500K)

Other light color optional: red, green and blue

Protection class: IP67

Light body material: 6063 aluminum

Life: 35,000 hours



Silver



X3

X4

X5

black



X3

X4

X5

2020 New

LED moonlight corner lights

Product Code: MCL-1W

Power: 1W

Rendering Index:> 80Ra

LED Brand: EPISTAR LED

Input voltage: DC12V-24V

Beam angle: 180 °


Color temperature options:warm white(2800-3000k).neutral white(4000-4300k).cool White(6000-6500K)

Other light color optional: red, green and blue

Protection class: IP67

Light body material: face ring (acrylic), the main body (6063 aluminum)

Life: 35,000 hours



LED Buried lights-B

Product Code: BL-3W-B

Power: 3W

Luminous flux: 280Lm

Rendering Index:> 80Ra

Beam angle: 90 °

LED Brand: EPISTAR COB LED

Input voltage: DC12-24V

Color temperature options:warm white(2800-3000k).neutral white(4000-4300k).cool White(6000-6500K)

Lamp material: face cover (stainless steel), the main body (aluminum)

Ambient temperature: -25 ° ~ +45 °

Protection class: IP67

Life: 35000h



LED Buried lights-A

Product Code: BL-1W-A / BL-3W-A

Power: 1W-3W

Luminous flux: 95Lm-220Lm

Color rendering index:> 80Ra

Beam angle: 45 °

LED Brand: CREE XBD LED

Input voltage: DC12-24V


Color temperature options:warm white(2800-3000k).neutral white(4000-4300k).cool White(6000-6500K)

Lamp material: face cover (stainless steel), the main body (aluminum)

Ambient temperature: -25 ° ~ +45 °


Protection class: IP67

Life: 35000h




LED step lights

Product Code: SL-1W
Power: 1W
Luminous flux: 95Lm
Rendering Index: > 80Ra
Beam angle: three optical ports optional (A1 A2 A3)
LED Brand: CREE-XBD LED
Input voltage: DC12-24V
Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)
Lamp material: aluminum
Ambient temperature: -25 ° ~ +45 °
Protection class: IP67
Life: 35000h




LED underwater lights

Product Code: UL-3W
Power: 3W
Luminous flux: 280Lm
Rendering Index: > 80Ra
Beam angle: 30 °
LED Brand: CREE-XBD LED
Input voltage: DC12-24V
Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)
Lamp material: face cover (stainless steel), the main body (aluminum)
Ambient temperature: -25 ° ~ +45 °
Protection class: IP68
Life: 35000h



LED footlights

Product Code: FL-1W
Power: 1W
Luminous flux: 95Lm
Color rendering index: > 80Ra
Beam angle: 70 °
LED brand: EPISTAR LED
Input voltage: DC12V
Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)
Lamp material: face cover (stainless steel), the main body (aluminum)
Ambient temperature: -25 ° ~ +45 °
Protection class: IP65
Life: 35000h



Unit: mm

Railing LED armrest lights

Product Code: RAL-1W

Power: 1W

Luminous flux: 95Lm

Rendering Index: > 80Ra

Beam angle: 70 °

LED brand: EPISTAR LED

Input voltage: DC12



Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: 6063 aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP65

Life: 35000h



Side Emitting

LED lights buried

Product Code: LB-3W

Power: 3W

Luminous flux: 220Lm

Rendering Index: > 80Ra

Beam angle: three optical ports optional (Q1 Q2 Q3)

LED Brand: CREE-XTE LED

Input voltage: DC12-24V


Color temperature options: warm white(2800-3000k), neutral white(4000-4300k), cool White(6000-6500K)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP67

Life: 35000h



LED garden lights/Grounding light

Product Code: GdL-3W / GdL-5W

Power: 3W /5W

Luminous flux: 280Lm /450Lm

Rendering Index: > 80Ra

Beam angle: 30 °

LED Brand: EPISTAR COB LED

Input voltage: DC12-24V


Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP67

Life: 35000h



LED lawn lamp

Product Code: LL-5W

Power: 5W

Luminous flux: 480Lm

Rendering Index: > 80Ra

Beam angle: 30 °

LED Brand: CREE-XBD LED

Input voltage: DC12-24V


Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP67

Life: 35000h



Mini LED Star Light/Downlight -15mm

Product Code: MSL-1W

Power: 1W

Luminous flux: 95Lm

Rendering Index: > 80Ra

Beam angle: 30 ° 120 °

LED brand: EPISTAR LED

Input voltage: DC12V


Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP65

Life: 35000h



Unit: mm

LED cabinet lights

Product Code: CL-3W

Power: 3W

Luminous flux: 280Lm

Rendering Index: > 80Ra

Beam angle: 25 °

LED Brand: CREE-XTE-LED

Input voltage: DC3V DC12-24V


Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP42

Life: 35000h



Unit: mm

Mini LED Star Light/Downlight -25mm

Product Code:MSLB-1W

Power: 1W

Luminous flux: 95Lm

Rendering Index:> 80Ra

Beam angle: 60 ° 120 °

LED brand: EPISTAR LED

Input voltage: DC12V



Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP65

Life: 35000h



Unit: mm

Mini LED Big Star/Downlight

Product Code: MSD-1W

Power: 1W

Luminous flux: 95Lm

Rendering Index:> 80Ra

Beam angle: 60 ° 120 °

LED brand: EPISTAR LED

Lamp input voltage: DC3V

Power input voltage: AC85-277V, AC95-120V / AC195-240V adjustable light



Color temperature optional:3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP65

Service life: 35000h



Unit: mm

Mini LED Star Light

Product Code: SSL-1W

Power: 1W

Luminous flux: 95Lm

Rendering Index:> 80Ra

Beam angle: 120 °

LED brand: EPISTAR LED

Input voltage: DC3V


Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)

Lamp material: aluminum

Ambient temperature: -25 ° ~ +45 °

Protection class: IP65

Service life: 35000h




Unit: mm

Surface mounted

LED Cabinet Light

Product Code: CBL-3W
Power: 3W
Luminous flux: 295Lm
Rendering Index: > 85Ra
Beam angle: 90 °
LED Brand: EPISTAR AC COB LED
Input voltage: AC90-120V, AC195-240V adjustable light
Color temperature optional: 3000K (WW), 4000K (W), 6000K (CW)
Lamp material: aluminum
Ambient temperature: -25 ° ~ +45 °
Protection class: IP65
Life: 35000h
Shell: black, white, silver, optional




5W Cabinet Lights

Product Code: CBL-5W
Power: 5W
Luminous flux: 490Lm
CRI : >80Ra
LED Brand: Epistar AC COB
Input voltage: AC90-120V, AC195-240V adjustable light
Beam angle is optional: 90°
Color temperature options: warm white (2700-3000K), neutral white (4000-4500K), cool white (6000-6500K)
Ingress Protection : IP65
Light body material: 6063 aluminum
Service life: 35000 hours



Shell: black, white, silver, optional




Unit: mm



LED square buried light

Product code: SBL-3W
Power: 3W
Luminous flux: 220Lm
Color rendering index: > 80Ra
Beam angle: 45°
LED Brand: CREE XBD LED
Input voltage: DC12-24V
Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool White (6000-6500K)
Lamp material: face cover (stainless steel), the main body (aluminum)
Ambient temperature: -25 ° ~ +45 °
Protection class: IP67
Life: 35000h



LED Cross-star Buried Light

Product Code: CSBL-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V


Color temperature options: warm white (2700-3000K), neutral white (4000-4500K), cool white (6000-6500K)

Other light color options: red, green, blue, Amber (standing stock color temperature: warm white, white. Other light color to be customized)

Ingress Protection:IP67

Light body material: 6063 aluminum

Service life: 35000 hours



Anti-glare LED Buried Light

Product Code: BL-A-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

Beam angle:30°

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2700-3000K), neutral white (4000-4500K), cool white (6000-6500K)

Other light color options: red, green, blue, Amber (standing stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

Service life: 35000 hours



Anti-glare LED Buried Light

Product Code: BL-A-3W

Power:3W

Luminous flux:220Lm

CRI : >80Ra

Beam angle:30°

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool white (6000-6500K)

stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

Service life: 35000 hours



Anti-glare

LED Buried Light

Product Code: BL-B-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

Beam angle:10°60°

LED Brand:CREE- XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K)
, neutral white (4000-4300K), cool white (6000-6500K)

stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

ervice life: 35000 hours



Anti-glare

LED Buried Light

Product Code: BL-B-3W

Power:3W

Luminous flux:220Lm

CRI : >80Ra

Beam angle:10°60°

LED Brand:CREE- XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K)
, neutral white (4000-4300K), cool white (6000-6500K)

stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

ervice life: 35000 hours



Anti-glare

LED Buried Light

Product Code: BL-C-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

LED Brand:CREE- XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K)
, neutral white (4000-4300K), cool white (6000-6500K)

stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

ervice life: 35000 hours



Anti-glare

LED Buried Light

Product Code: BL-C-3W

Power:3W

Luminous flux:220Lm

CRI : >80Ra

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool white (6000-6500K)

stock color temperature:


warm white, white. Other light color to be customized)

Ingress Protection:IP67

Stainless steel surface

Light body material: 6063 aluminum

ervice life: 35000 hours



LED step light

Product Code: SPL-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V


Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool white (6000-6500K)

Other light color options: red, green, blue,Amber (standing stock color temperature: warm white, white. Other light color to be customized)

Ingress Protection:IP67

Light body material: 6063 aluminum

ervice life: 35000 hours



LED step light

Product Code: SPL-B-1W

Power:1W

Luminous flux:95Lm

CRI : >80Ra

LED Brand:CREE-XBD LED

Input voltage: DC12V-24V

Color temperature options: warm white (2800-3000K), neutral white (4000-4300K), cool white (6000-6500K)

Other light color options: red, green, blue,Amber (standing stock color temperature: warm white, white. Other light color to be customized)

Ingress Protection:IP67

Light body material: 6063 aluminum

ervice life: 35000 hours

