

Lighting For Landscape Project



Edonca-F

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED, MH, SON, CDM-T.

Rating :

- 35w ~ 150w .
- 220v 50HZ as standard offer.



Mega-Top

Description :

- Body made of aluminium
- IP65 IK10++

Standard follow :


- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED, CDM-T.

Rating :

- 35w ~ 70w .
- 220v 50HZ as standard offer.



Edonca-Z

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 10w ~ 60w .
- 220v 50HZ as standard offer.



Glotope

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 15w ~ 80w .
- 220v 50HZ as standard offer.



Gastop-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 55w .
- 220v 50HZ as standard offer.



Gastop-B

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 55w .
- 220v 50HZ as standard offer.



Gastop-C

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-D

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 35w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-E

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 30w .
- 220v 50HZ as standard offer.



Gastop-F

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 35w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-G

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 35w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-H

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 30w .
- 220v 50HZ as standard offer.



Gastop-K

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 35w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-L

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 35w ~ 60w .
- 220v 50HZ as standard offer.



Gastop-M

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 55w .
- 220v 50HZ as standard offer.



VL128

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL129

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL130

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL131

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL137A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 120w .
- 220v 50HZ as standard offer.



VL164

Description :

- Body made of aluminium
- IP65

Standard follow :


- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL165

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL166

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL168

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL178

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL179

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL124

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



VL134

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



Leksvik-3

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 15w ~ 55w .
- 220v 50HZ as standard offer.



Silvana

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 60w .
- 220v 50HZ as standard offer.



ELRIRA-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 45w .
- 220v 50HZ as standard offer.



TARINA

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 40w .
- 220v 50HZ as standard offer.



Ginevra

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 60w .
- 220v 50HZ as standard offer.



Taplux-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 80w .
- 220v 50HZ as standard offer.



Glolux

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 80w .
- 220v 50HZ as standard offer.



Gaurus

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 15w ~ 120w .
- 220v 50HZ as standard offer.



ST-T70

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 90w .
- 220v 50HZ as standard offer.



ST-T71

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 90w .
- 220v 50HZ as standard offer.



Brober-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 15w ~ 50w .
- 220v 50HZ as standard offer.



Pardo

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 60w .
- 220v 50HZ as standard offer.



Krotos

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 24w / 48w / 72w .
- 220v 50HZ as standard offer.



Castop

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 80w / 100w / 120w .
- 220v 50HZ as standard offer.



Dafer-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 50w .
- 220v 50HZ as standard offer.



Dafer-B

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 50w .
- 220v 50HZ as standard offer.



Tastop

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w / 40w .
- 220v 50HZ as standard offer.



Katon-A

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w / 60w .
- 220v 50HZ as standard offer.



CityMal-A20

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 50w / 100w .
- 220v 50HZ as standard offer.



CityMal-A21

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 50w ~ 300w .
- 220v 50HZ as standard offer.



Lapcode

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 30w ~ 50w .
- 220v 50HZ as standard offer.



Arstid-N

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w / 30w / 40w.
- 220v 50HZ as standard offer.



Lakros

Description :

- Body made of aluminium
- IP65

Standard follow :

- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 20w ~ 35w .
- 220v 50HZ as standard offer.



VL132A

Description :

- Body made of aluminium
- IP65

Standard follow :


- IEC / EN 60598-2-1
- IEC / EN 60598-1

Light source :

- LED.

Rating :

- 40w ~ 60w .
- 220v 50HZ as standard offer.



Arch - 2001

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2002

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :


- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED .

Rating :

- 10w ~ 60w ,220v 50HZ as standard offer.



Arch - 2003

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2004

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2005

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2006

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 60w ,220v 50HZ as standard offer.



Arch - 2007

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2008

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2009

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2010

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2011

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2012

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 2013

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2014

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 70w ,220v 50HZ as standard offer.



Arch - 2015

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- MH, SON & induction lamp.

Rating :

- 250w ~ 400w ,220v 50HZ as standard offer.



Arch - 2016

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLT, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0033

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0034

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0035

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0036

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0037

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0038

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0039

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0040

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0041

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0042

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0043

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0044

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0045

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0046

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0047

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0048

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0049

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0050

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0051

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0052

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0053

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0054

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0055

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0056

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0057

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0058

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0059

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0056

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC /EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0061

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0062

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0063

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0064

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0065

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0066

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0067

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0068

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0069

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0070

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0071

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0072

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :


- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0073

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0074

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0075

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0076

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :


- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 0077

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0078

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0079

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 0080

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 3001

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3002

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3003

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3004

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3005

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 3006

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 3007

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :


- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 3008

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact pressing glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 70w, 220v 50HZ as standard offer.



Arch - 3009

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3010

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3011

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3012

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3013

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3014

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3015

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3016

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3017

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3018

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3019

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3020

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3021

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3022

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3023

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3024

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3025

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3026

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3027

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3028

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3029

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3030

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3031

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact acrylic / PC
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3032

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3035

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3036

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3037

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3038

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED , PLC , MH , SON , CDM-T & induction lamp.

Rating :

- 10w ~ 150w ,220v 50HZ as standard offer.



Arch - 3039

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.



Arch - 3040

Description :

- Body made of cast & spun aluminium
- Diffuser made of high impact tempered glass
- Reflector made of high pure aluminium
- IP55 / IP65

Standard follow :

- IEC / EN 60598-2-1 & IEC / EN 60598-1

Light source :

- LED, PLC, MH, SON, CDM-T & induction lamp.

Rating :

- 10w ~ 150w, 220v 50HZ as standard offer.

